

KEY

Chapter 4 Review

Find the coordinates of the vertices of each figure after the given transformation.

- 1) translation: $(x, y) \rightarrow (x - 2, y - 4)$
 $D(-2, 1), E(-3, 5), F(2, 4)$

$D'(-4, -3), E'(-5, 1), F'(0, 0)$

- 2) translation: $(x, y) \rightarrow (x + 4, y - 1)$
 $D(-5, -3), C(-1, 0), B(-1, -4)$

$D'(-1, -4), C'(3, -1), B'(3, -5)$

Write a rule to describe each transformation.

- 3) $T(0, 2), U(3, 5), V(3, 2)$

to
 $T'(-4, 1), U'(-1, 4), V'(-1, 1)$

translation: $(x, y) \rightarrow (x - 4, y - 1)$

- 4) $A(1, -3), B(2, -2), C(3, -5)$

to
 $A'(0, 3), B'(1, 4), C'(2, 1)$

translation: $(x, y) \rightarrow (x - 1, y + 6)$

Find the coordinates of the vertices of each figure after the given transformation.

- 5) reflection across $y = -2$
 $V(-3, -3), W(1, -2), X(-1, -5)$

$W'(1, -2), X'(-1, 1), V'(-3, -1)$

- 6) reflection across $y = -x$
 $W(-5, -3), X(-5, 2), Y(-3, -1)$

$(a, b) \rightarrow (-b, -a)$

$X'(-2, 5), Y'(1, 3), W'(3, 5)$

- 7) reflection across the y-axis
 $S(-3, -3), T(-2, -1), U(-1, -5)$

$(a, b) \rightarrow (-a, b)$

$T'(2, -1), U'(1, -5), S'(3, -3)$

- 8) reflection across $y = x$
 $R(-5, -4), S(-5, -2), T(-4, -2)$

$(a, b) \rightarrow (b, a)$

$S'(-2, -5), T'(-2, -4), R'(-4, -5)$

- 9) reflection across the x-axis
 $Q(1, -4), R(5, -1), S(5, -5)$

$$(a, b) \rightarrow (a, -b)$$

$$R'(5, 1), S'(5, 5), Q'(1, 4)$$

- 10) reflection across $x = -2$
 $S(-5, 4), T(-3, 5), U(-1, 3)$

$$T'(-1, 5), U'(-3, 3), S'(1, 4)$$

Write a rule to describe each transformation.

- 11) $K(-4, -2), L(-4, 3), M(1, 1), N(0, -4)$
to
 $L'(-4, -3), M'(1, -1), N'(0, 4), K'(-4, 2)$

reflection across the x-axis

- 12) $D(2, 3), E(5, 5), F(5, 2)$
to
 $E'(-5, 5), F'(-5, 2), D'(-2, 3)$

reflection across the y-axis

- 13) $I(-4, -1), H(-3, 4), G(-1, 0)$
to
 $H'(-4, 3), G'(0, 1), I'(1, 4)$

reflection across $y = -x$

- 14) $V(-4, -3), W(-3, -1), X(-3, -3)$
to
 $W'(-1, -3), X'(-3, -3), V'(-3, -4)$

reflection across $y = x$

Find the coordinates of the vertices of each figure after the given transformation.

- 15) rotation 180° about the origin $(a, b) \rightarrow (-a, -b)$
 $I(0, 3), J(4, 4), K(2, 0)$

$$I'(0, -3), J'(-4, -4), K'(-2, 0)$$

- 16) rotation of 270° about the origin
 $S(1, -3), T(4, -1), U(4, -5)$

$$(a, b) \rightarrow (b, -a)$$

$$S'(-3, -1), T'(-1, -4), U'(-5, -4)$$

- 17) rotation of 90° about the origin $(a, b) \rightarrow (-b, a)$
 $E(3, -1), F(4, 3), G(5, 1)$

$$E'(1, 3), F'(-3, 4), G'(-1, 5)$$

18. A dilation maps the preimage $(-2, 3)$ onto the image $(4, -6)$. What is the scale factor of the dilation?

$$k = -2$$

19. The base of a triangle measures 5 cm and the height measures 7 cm. After a dilation is performed by a scale factor of 3, what is the area of the new triangle?

$$\begin{aligned} \text{base} \times 3 \\ 5 \times 3 = 15 \end{aligned}$$

$$\begin{aligned} \text{height} \times 3 \\ 7 \times 3 = 21 \end{aligned}$$

$$A = \frac{1}{2}(b)(h)$$

$$A = \frac{1}{2}(15)(21) = 157.5 \text{ cm}^2$$

20. A translation using the vector $\langle -2, 5 \rangle$ is performed to create the image $(4, -2)$. What are the coordinates of the preimage?

$$(x, y) \rightarrow (x - 2, y + 5)$$

$$(6, -7) \rightarrow (4, -2)$$

21. What would the scale factor be of a dilation that rotates a figure 180° and makes the image a third of the size of the preimage?

$$k = -\frac{1}{3}$$

22. Write a coordinate rule that would translate an image 3 units up and 4 units ^{left} down.

$$(x, y) \rightarrow (x - 4, y + 3)$$

23. A ferris wheel takes 40 seconds to complete a rotation. A seat that starts on coordinate $(10, 0)$ is rotated for 10 seconds about the origin. What are the new coordinates for the seat after the rotation?


$$\frac{10}{40} = \frac{1}{4} \text{ of a full rotation}$$

$$(a, b) \rightarrow (-b, a)$$

$$(10, 0) \rightarrow (0, 10)$$

$$\frac{1}{4}(360) = 90^\circ$$

24. Determine a) how many lines of symmetry each figure has (if any) and b) What are the angles of rotational symmetry for each figure (if any)?




5 lines of symmetry

order = 5

$$\frac{360}{5} = 72^\circ$$

72° and 144°



4 lines of symmetry

order = 4

$$\frac{360}{4} = 90^\circ$$

90° and 180°



6 lines of symmetry

order = 6

$$\frac{360}{6} = 60^\circ$$

60°, 120°, 180°

25. Triangle ABC is reflected over line k and then reflected over line m. The distance between line k and m is 5 cm. The distance between point B and line k is 3 cm, and the distance between point C'' and line m is 4 cm.

a. What is the distance from A to A''?

10 cm

b. What is the distance from B' to B''?


4 cm

c. What is the distance from C to C'?

2 cm


d. What single transformation is equivalent to these two reflections?

translation (twice the distance between k and m)



26. A figure is reflected over line k and then reflected over line m. What is the angle of rotation this figure could go through to end up in the same location?


180° (twice the measure of the angle between the two intersecting lines)




27. If a figure is rotated 100 degrees. Your friend tells you that this transformation could have also been completed by using a reflection over two intersecting lines. What would the angle be between those two intersecting lines in order to be equivalent to a 100 degree rotation?

50°

28. Find the scale factor of each dilation. Tell whether it was an enlargement or reduction.



$$k = \frac{CP'}{CP} = \frac{27}{9} = 3$$



$$k = \frac{CP'}{CP} = \frac{4}{10} = \frac{2}{5}$$

29. Describe the difference between a rigid motion and a non-rigid motion.

A rigid motion is a transformation that preserves size and shape.

A translation, reflection, rotation, or composition of these is a rigid motion. It is a congruence transformation. A non-rigid motion is

a similarity transformation that has the same shape but not same size. A dilation

30. Challenge: Find the image of the point (2, 11) after being reflected over the line $y = 2x + 1$. You may leave your answer in decimal form.

① Find line \perp to $y = 2x + 1$ thru (2, 11)

$$m = -\frac{1}{2} \quad (2, 11) \quad y = -\frac{1}{2}x + 12$$

$$y = mx + b$$

$$11 = -\frac{1}{2}(2) + b$$

$$11 = -1 + b$$

$$12 = b$$

② Find intersection


$$2x + 1 = -\frac{1}{2}x + 12$$

$$2.5x = 11$$

$$x = 4.4$$

$$y = 2(4.4) + 1 = 9.8$$

③ work backwards from midpt.



non-rigid motion